



Introducing the

Next Generation

A **new era** of IoT parking equipment has arrived.



Featuring an interactive 16" touch screen display, embedded dynamic rate tables, modular USB components, and bluetooth.

Parking equipment is not all the same. For years, Parkonect has been an innovative leader in cloud-based, IoT parking technology. Our new Gen2 hardware takes this to a whole new level.

We've included exciting new features to our already robust full terminal systems. Our massive 16" fully interactive touch screen brings parking equipment into the modern age with its attractive easy-to-use UI and fully embedded dynamic rate tables. We've added bluetooth functionality for a more frictionless experience for your customers. Our re-designed cabinet is sleek and the interior features modular USB components for infinite expandability.

Whatever the shape or size of your facility, installing a full Parkonect system places critical efficiency and revenue-boosting tools at your command. Our full parking platform combines our industry-leading cloud solution and barcode-based ticket dispensers with gates, LPR systems, pay-on-foot stations, lobby door controllers, VOIP intercoms, and more to offer a truly innovative parking experience to your garage's customers. Equally important, we designed this hardware with almost no moving parts making it virtually maintenance free – say good-bye to ingesters, belts and ticket jams.



Our extensive suite of cloud-based software modules allows you to custom-tailor your Parkonect platform to meet your specific needs. Our feature-rich options include GPS-enabled iPhone/Android monthly passes, web-based validations, mobile pay-on-foot apps, license plate recognition, guest parking programs, valet tracking, hotel pass systems, instant integrations with every major online seller, and more. Our real-time cloud-based data aggregation includes dashboards, built-in analytics, visualized reporting, and APIs that connect your garage to the rest of the world.



Specifications

Power: 110VAC, 15AMP

Inputs: Internet (DSL or better), Cat 5/6, loop sense (dry contact), RFID (AVI or prox. card), barcodes, bluetooth 4.2, and USB devices

Outputs: Gate vends (dry contact), lot full (dry contact), and custom outputs

Operating Conditions: 120°F to -20°F (50°C to -30°C), 95% humidity, indoor/outdoor

1D & 2D Bar code Formats: 39, 12 of 5, 128, UPC/EAN, 93, QR, PDF417, Data Matrix, Aztec, and more

Housing: Powder coated stainless steel construction, weather gaskets, and lockable pull-out drawer

Features and Options

Tickets: Roll stock, thermal print on-demand

Credit Card: End-to-end encrypted, PCI-compliant reader (Exit terminals only)

Monthly Parkers: Keytags, hard passes, iPhone/Android GPS-activated passes, LPR, and Bluetooth

Validations: Paper or web-enabled, time off/dollars off/percent off/alternate rate schedule

Lot Full: LED signage, real-time counts, and email notifications

Intercoms: VOIP, standard; Commend, Umojo, or Parker

Custom Graphics: Full color graphics including site/operator logo or full equipment wrap

